EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6330976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 09:34
L2	123	print$3 with invisible with visible with ("same" adj time simultaneous$2 concurrent $2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 09:57
L3	89	l2 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 09:58
L4	1	"6330976".pn. and graphic with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 10:16
L5	2	"7188774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 10:28
L6	2	"20060118631"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/30 10:30
S1	83	(barcode bar adj code bar-code RFID) with (identity identif$4 distinguish$3) with ((single each every) near2 (item product))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:35

S2	43	S1 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:36
S3	2	"6813341".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:40
S4	29	("20020149609" | "20050092833" | "5111501" | "5136634" | "5165095" | "5168548" | "5222121" | "5231670" | "5239586" | "5301227" | "5335276" | "5349636" | "5406618" | "5602963" | "5621658" | "5631745" | "5671328" | "5786764" | "5832063" | "5850627" | "5930336" | "6092045" | "6236715" | "6260012" | "6462616" | "6604681" | "6813341" | "7136465" | "7146243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/02 11:09
S5	2	(relay) with (identity identif $4 distinguish$3) with ((single each every) near2 (item product))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:26
S6	2251	(barcode bar adj code bar-code RFID) with (identity identif$4 distinguish$3) with (item product) and (inventory near2 control$4 warehouse ware adj house)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27
S7	0	(barcode bar adj code bar-code RFID) with (identity identif$4 distinguish$3) with (item product) and (inventory near2 control$4 warehouse ware adj house) and "340".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27
S8	547	(barcode bar adj code bar-code RFID) with (identity identif$4 distinguish$3) with (item product) and (inventory near2 control$4 warehouse ware adj house) and "340".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:27

S9	179	S8 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:28
S10	172	(barcode bar adj code bar-code RFID) with (identity identif$4 distinguish$3) with ((item product) near3 (individual each unique)) and "340".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:56
S11	55	S10 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:56
S12	2	"20010037248"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:58
S13	2	"5625467".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:27
S14	284	(bar adj code barcode code RFID ID identity serial adj number) with (distinguish$4 identif$7 differentiat$3) with ((each single every) near2 product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:38
S15	128	S14 and (@ad<"20030407" @rlad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 14:39
S16	167	(plural$3 multiple several second two additional many) near3 (barcode bar adj code bar-code RFID code mark indicia) with (identity identif $4 distinguish$3 indicat$3) with (position location) with (surface sheet page paper label) with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:53

S17	213	(plural$3 multiple several second two additional many) near3 (barcode bar adj code bar-code RFID code mark indicia) with (identity identif $4 distinguish$3 indicat$3) with (position location) with (surface sheet page paper label) with (print$3 product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:54
S18	139	S17 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:54
S19	2	"20040210319"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:30
S20	6	(bar adj code barcode code RFID ID tag code mark indicia with ((distinguish$4 identif$7 indicat$3) near3 (location position)) with ((on of at) near2 (page sheet paper label)) with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:16
S21	6	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish$4 identif$7 indicat$3) near3 (location position)) with ((on of at) near2 (page sheet paper label)) with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:16
S22	14	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish$4 identif$7 indicat$3) near3 (relative adj (location position))) with (page sheet paper) with print $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:27
S23	312	(bar adj code barcode code RFID ID tag code mark indicia label) with ((distinguish$4 identif$7 indicat$3) near3 (location position) near3 (page sheet paper)) with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:32

S24	190	S23 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:33
S25	2	"6651894".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:49
S26	1	"20040210319" and (position with coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:01
S27	213	(bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) near3 (page sheet paper) with print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:08
S28	138	S27 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:15
S29	10	(bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) near3 (page sheet paper)) same ((product item) with identi$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:29
S30	2	"20040210319" and interface adj surface with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:44

S31	2	"20040210319" and identit$3 with (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:47
S32	0	"20040210319" and identit$3 near2 (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:48
S33	0	"20040210319" and identit$3 adj (of) near2 (interface adj surface) with (coded adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:49
S34	2	"20040210319" and identit$3 with (interface adj surface) with product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 11:50
S35	1897	(bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:00
S36	39	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:23
S37	26	S36 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:25

S38	91	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:32
S39	141	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (location position) near3 (page sheet paper media medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:33
S40	86	S39 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 12:33
S41	242	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia llabel) near3 (page sheet paper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:47
S42	0	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((location position) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia llabel) near3 (page sheet paper)) with itself	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:49
S44	11	S41 same (item product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 13:54

S45	57	(multiple plural$3 many second another different several) near2 (bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (current respective) adj (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:17
S46	26	S37 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:19
S48	81	(bar adj code barcode code RFID ID tag code$1 mark indicia label) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 (current respective) adj (location position)) with (page sheet paper media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:22
S49	35	S48 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:22
S50	686	(bar adj code barcode code RFID ID tag code$1) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 ((bar adj code barcode code RFID ID tag code$1) near2 (location position))) with (page sheet paper label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:29
S51	64	(bar adj code barcode code RFID ID tag code$1) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 ((bar adj code barcode code RFID ID tag code$1) near2 (location position))) with (page sheet paper label) same (product item)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:29
S52	31	S51 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:30

S53	2	"5625467".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:48
S54	18916	(bar adj code barcode code RFID ID tag code$1) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 ((bar adj code barcode code RFID ID tag code$1) near2 (location position)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:50
S55	195	(bar adj code barcode code RFID ID tag code$1) with ((distinguish$4 identif$7 indicat$3 specif$4) near3 ((bar adj code barcode code RFID ID tag code$1) near2 (relative adj (location position))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:51
S56	113	S55 and (@rlad<"20030407" @ad<"20030407")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:52
S57	2	"6054924".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 14:58
S58	5	US-5640193-$.DID. OR US- 5937110-$.DID. OR US- 5661506-$.DID. OR US- 5986651-$.DID. OR US- 4998010-$.DID.	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2009/12/29 16:20
S59	2	"6330976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 16:23

EAST Search History (Interference)

< This search history is empty>

4/30/2010 10:58:26 AM
C:\ Documents and Settings\ fzhang\ My Documents\ EAST\ Workspaces\ 10815614-2.wsp